

LexCo Collection



Choose + Use Materials Responsibly

Steelcase is committed to sourcing and selecting materials that are safe for people and our planet. This Product Ingredient Disclosure demonstrates our commitment to chemical material transparency. Learn more about how Steelcase is working to design better futures for the wellbeing of people and the planet [here](#).

Scope

LexCo with the following options:

Worksurface, straight; stance leg, desk height; side modesty (PET); intermediate leg; intermediate leg cover (Metal) – desk height; Sarto Screen, understructure mounted; center modesty (PET); accessory interface.

Exclusions

None

LexCo Collection is a comprehensive desking platform designed for customisation to enable greater tailored expression and bringing new personality to the workspace.

<https://www.steelcase.com/asia-en/products/fixed-workstations/lexco-collection/>

Chemicals of Concern List

The product was screened against the following lists utilizing applicable exceptions:

Living Building Challenge (LBC) Red List v4.0. Proprietary ingredients were not screened

Material Inventory

Material	Weight (KG)	Weight (%)
particle board	96.130	55.30%
carbon steel	49.905	28.71%
aluminum alloy, extruded	12.115	6.97%
polyethylene terephthalate (PET)	8.278	4.76%
plywood	4.891	2.81%
acrylonitrile-butadiene-styrene (ABS)	0.928	0.53%
PA6 30% GF	0.800	0.46%
aluminum alloy, cast	0.722	0.42%
zinc, alloy	0.057	0.03%
stainless steel	0.013	0.01%
Grand Total	173.839	100.00%

Chemical Class

This product was screened against the following lists utilizing applicable exceptions:

Chemical Class	Notes
<i>flame retardant chemicals</i>	<i>None</i>
<i>per- and polyfluoralkyl substances (PFAS)</i>	<i>None</i>
<i>antimicrobial agents</i>	<i>None</i>
<i>organohalogenated compounds</i>	<i>None including no PVC</i>
<i>formaldehyde and other VOCs (emissions)</i>	<i>SCS Indoor Advantage Gold</i>
<i>heavy metals</i>	<i>None</i>

More Information

www.steelcase.com

II. Chemical Constituents

Ingredients	CAS RN	% Weight	Chemicals of Concern
ligno-cellulosic materials	-	47.04	
carbon steel	12597-69-2	28.10	
urea formaldehyde	9011-05-6	6.91	
extruded aluminum alloy 6063 T5	6063 T5	6.11	
polyethylene terephthalate	25038-59-9	4.71	
water	7732-18-5	2.88	
extruded aluminum alloy 6061-T	6061-T	0.86	
paraffin	8002-74-2	0.55	
proprietary ingredients	-	0.55	
acrylonitrile-butadiene-styrene copolymer	9003-56-9	0.49	
nylon-6	25038-54-4	0.32	
cast aluminum alloy ADC12	ADC12	0.30	
N- (4,6-diamino-1,3,5-triazin-2-yl)formamide	13236-84-5	0.28	
urea	57-13-6	0.19	
urea-formaldehyde polymer	9011-05-6	0.19	
glass, oxide, chemicals	65997-17-3	0.14	
cast aluminum alloy A384	A384	0.09	
sodium hydroxide	95077-05-7	0.07	
poly(bisphenol A-co-epichlorohydrin) glycidyl	25036-25-3	0.05	
zinc alloy, unspecified	-	0.03	
cast aluminum alloy A380	A380	0.03	
saturated polyester resin	61926-16-7	0.02	
calcium carbonate	471-34-1	0.01	
titanium (IV) oxide	1317-80-2	0.01	
stainless steel	65997-19-5	0.01	
2-oxohexamethylenimine	105-60-2	0.01	

¹ Materials and chemicals are disclosed for the specific style number and option configuration of the product as described in the Scope section, considering any noted exclusions and exemptions. Composition may change based on options selected by the specifier. Chemical constituents and members of chemical classes are disclosed if present at or above 0.01% (100 ppm) by total weight of product. Percentage weights are typical values. Proprietary ingredients include chemical constituents that are withheld by the supplier/raw material manufacturer and/or are shared with Steelcase only, as confidential business information. Information is obtained directly from suppliers, raw material manufacturers and other reliable sources. The contents of the documents are subject to change without notice.