

# Campfire Slim Table

## Product Ingredient Disclosure

Americas



### Choose + Use Materials Responsibly

Steelcase is committed to sourcing and selecting materials that are safe for people and our planet. This Product Ingredient Disclosure demonstrates our commitment to chemical and material transparency. Learn more about how Steelcase is working to design better futures for the wellbeing of people and the planet [here](#).

### Scope

Campfire Slim Table

TS4TPST

Table with high pressure laminate top with plastic edgebanding, power management

### Exclusions and Exemptions

None

**Product Description** With its sleek lines and modern style, Campfire Slim Tables bring functionality and performance to any space. Use for impromptu or planned connections, sitting or standing. With power options and a shallow width to maximize real estate, Slim Table's versatile design creates inviting and practical settings.

. <https://www.steelcase.com/products/conference-collaborative-tables/campfire-slim-table/>

## Chemicals of Concern List

The product was screened against the following lists utilizing applicable rules and exceptions:

- **Living Building Challenge (LBC) Red List v4.0** with the following exceptions:
  - RL-004a – Proprietary Ingredients
- **ANSI/BIFMA e3-2019 Furniture Sustainability Standard: Annex B Chemical List**

### Material Inventory

| Material                     | Weight (KG)  | Weight (%)   |
|------------------------------|--------------|--------------|
| <i>steel</i>                 | <i>14.60</i> | <i>58.29</i> |
| <i>particle board</i>        | <i>9.67</i>  | <i>38.62</i> |
| <i>electronic components</i> | <i>0.39</i>  | <i>1.58</i>  |
| <i>adhesive</i>              | <i>0.18</i>  | <i>0.76</i>  |
| <i>other</i>                 | <i>0.19</i>  | <i>0.75</i>  |
| <i>Total</i>                 | <i>25.05</i> | <i>100</i>   |

### Chemical Inventory

#### I. Chemical Class

This product was screened against the following lists utilizing applicable exceptions:

| Chemical Class                                       | Presence / Notes                                                |
|------------------------------------------------------|-----------------------------------------------------------------|
| Flame retardant chemicals (FR)                       | <i>none, except for electrical/electronic components</i>        |
| Per- and poly-fluoroalkyl substances (PFAS)          | <i>none</i>                                                     |
| Antimicrobial Agents                                 | <i>none</i>                                                     |
| Organo-halogenated compounds                         | <i>none, except for PVC in electrical/electronic components</i> |
| Heavy metals*                                        | <i>none</i>                                                     |
| Formaldehyde and other VOCs (emissions) <sup>†</sup> | <i>SCS Indoor air Advantage™ Gold</i>                           |

\*: metals such as lead, cadmium, mercury, hexavalent chromium, arsenic, and their compounds

<sup>†</sup>: VOC: volatile organic compound

| II. Chemical Constituents                        |             |          |                      |
|--------------------------------------------------|-------------|----------|----------------------|
| Ingredients                                      | CAS RN      | % Weight | Chemicals of Concern |
| carbon steel                                     | 12597-69-2  | 58.37    |                      |
| ligno-cellulosic materials (wood)                | -           | 31.69    |                      |
| melamine-urea-formaldehyde polymer               | 25036-13-9  | 3.48     |                      |
| electrical components                            | -           | 1.58     |                      |
| phenol formaldehyde polymer                      | 9003-35-4   | 1.24     |                      |
| proprietary ingredients                          | -           | 0.94     |                      |
| melamine formaldehyde polymer                    | 9003-08-1   | 0.46     |                      |
| 1-propene, homopolymer                           | 9003-07-0   | 0.37     |                      |
| polyvinyl acetate                                | 9003-20-7   | 0.37     |                      |
| ammonium sulfate                                 | 7783-20-2   | 0.35     |                      |
| slack wax, petroleum                             | 64742-61-6  | 0.31     |                      |
| nylon-6                                          | 25038-54-4  | 0.20     |                      |
| poly(bisphenol A-co-epichlorohydrin)<br>glycidyl | 25036-25-3  | 0.18     |                      |
| urea                                             | 57-13-6     | 0.14     |                      |
| saturated polyester resin                        | 61926-16-7  | 0.09     |                      |
| ammonium chloride                                | 12125-02-9  | 0.07     |                      |
| aluminum oxide                                   | 1344-28-1   | 0.03     |                      |
| titanium(IV) oxide, rutile                       | 1317-80-2   | 0.03     |                      |
| water                                            | 7732-18-5   | 0.03     |                      |
| starch                                           | 9005-25-8   | 0.03     |                      |
| 2-oxohexamethylenimine                           | 105-60-2    | 0.02     |                      |
| amorphous precipitated silica                    | 112926-00-8 | 0.02     |                      |
| zinc                                             | 7440-66-6   | 0.01     |                      |
| Grand total                                      |             | 100      |                      |

[www.steelcase.com](http://www.steelcase.com)

<sup>i</sup> Materials and chemicals are disclosed for the specific style number and option configuration of the product as described in the Scope section, considering any noted exclusions and exemptions. Composition may change based on options selected by the specifier. Chemical constituents and members of chemical classes are disclosed if present at or above 0.01% (100 ppm) by total weight of product. Percentage weights are typical values. Proprietary ingredients include chemical constituents that are withheld by the supplier/raw material manufacturer and/or are shared with Steelcase only, as confidential business information. Information is obtained directly from suppliers, raw material manufacturers and other reliable sources. The contents of the documents are subject to change without notice.