

Modular Carpet
by Venture Carpets

HPD UNIQUE IDENTIFIER: 596587641880576
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 68 13 Tile Carpeting
PRODUCT TYPE: Carpet Tiles
PRODUCT DESCRIPTION: Modular carpet tiles offer versatile installation options, making them suitable for a wide range of residential and commercial textile flooring applications. They are manufactured using a single yarn type (ECONYL®) and feature one primary backing option.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Nested Materials Method	Residuals/Impurities Evaluation Completed in 12 of 12 Materials	For all contents above the threshold, the manufacturer has:
Threshold Disclosed Per → Product	Explanation(s) provided for Residuals/Impurities? Yes	Characterized Provided weight and role. Yes
Threshold Level → 1,000 ppm		Screened Provided screening results using HPDC-approved methods. Yes
		Identified Provided name and CAS RN or other identifier. No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PVC - COMPONENT #5 [LIMESTONE BM-3dg QUARTZ BM-1] CAN | MAM | GEN] NYLON 6 ECONYL YARN RECYCLED [NYLON 6 (WITH STAIN RESISTANCE) LT-UNK] LATEX - COMPONENT #2 [LIMESTONE BM-3dg QUARTZ BM-1] CAN | MAM | GEN] PVC - COMPONENT #2 [BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg] PVC - COMPONENT #1 [VINYL CHLORIDE VINYL ACETATE COPOLYMER LT-UNK] LATEX - COMPONENT #1 [UNDISCLOSED NoGS UNDISCLOSED BM-4] PRIMARY BACKING [UNDISCLOSED LT-P1] GLASS FIBER [UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED NoGS] LATEX - COMPONENT #4 [WATER BM-4] LATEX - COMPONENT #3 [] PVC - COMPONENT #3 [POLY(OXY-1,2-ETHANEDIYL), ALPHA-((2Z)-3-CARBOXY-1-OXO-2-PROPEN-1-YL)-OMEGA-HYDROXY-, C12-13-ALKYL ETHERS NoGS] PVC - COMPONENT #4 [UNDISCLOSED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 5

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was prepared using a Nested Materials Inventory with a product threshold of 1000 ppm. The ranges presented reflect the typical variation in material content across different product configurations. Additional information about how residuals and impurities were assessed is provided in the relevant sections. Certain substance names and CAS numbers have been withheld for proprietary reasons.

COMPLIANCE See Section 3 for additional listings.

VOC emissions: CRI Green Label Plus - Carpets

LCA: Environmental Product Declaration (EPD) by CSA Group

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

PVC - COMPONENT #5		%: 39.0000 - 45.0000	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material	
RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported silica quartz (CAS# 14808-60-7) as an impurity.			
OTHER MATERIAL NOTES: The material is used as mineral filler and pigment. The weight percent interval is used to keep exact recipe confidential.			

LIMESTONE			ID: 1317-65-3	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:47	
%: 98.0000 - 100.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The weight percentage range is used to account for product variability.				

QUARTZ					ID: 14808-60-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:47		
%: 0.0000 - 2.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: The weight percentage range is used to account for product variability.		

NYLON 6 ECONYL YARN RECYCLED
 %: 17.0000 - 19.0000

PRODUCT THRESHOLD: 1000 ppm
 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes
 MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and below the declaration threshold and impurities are not present.

OTHER MATERIAL NOTES: This material is a bulk continuous filament yarn made from 100% recycled PA6 polymer. Pigments are included in the formulation, but their identity is withheld as their concentrations fall below the reporting threshold. A weight percent range is provided to maintain the confidentiality of the exact formulation.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-03-19 12:22:09	
?: 95.0000 - 100.0000	GreenScreen: LT-UNK	RC: Both	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: 100% of the polymer is made from recycled content. Weight percent interval is used to keep exact recipe confidential.				

LATEX - COMPONENT #2

?: 9.0000 - 11.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material
RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported silica quartz (CAS# 14808-60-7) as an impurity.		
OTHER MATERIAL NOTES: This material serves as both a mineral filler and a pigment. The weight percent interval is used to keep exact recipe confidential.		

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:48	
?: 98.0000 - 100.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The weight percentage range is used to account for product variability.				

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:49	
?: 0.0000 - 2.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity

BIS(2-ETHYLHEXYL) TEREPHTHALATE				ID: 6422-86-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:47	
%: 99.0000 - 100.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		
SUBSTANCE NOTES: According to the supplier's information, there is no recycled content in this material.				

PVC - COMPONENT #1 %: 8.0000 - 10.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, this material contains no residuals or impurities.

OTHER MATERIAL NOTES: The weight percent interval is used to keep exact recipe confidential.

VINYL CHLORIDE VINYL ACETATE COPOLYMER				ID: 9003-22-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:48	
%: 100.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)		C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025	
			Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern	
SUBSTANCE NOTES: According to the supplier's information, there is no recycled content in this material.				

LATEX - COMPONENT #1 %: 4.0000 - 6.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported residuals below the disclosure threshold.

OTHER MATERIAL NOTES: The weight percentage range is used to account for product variability.

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:48		
%: 45.0000 - 55.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The name and CAS number of this substance are undisclosed for proprietary reasons.					

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:48		
%: 45.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions		
			Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: The name and CAS number of this substance are undisclosed for proprietary reasons.					

PRIMARY BACKING		%: 3.0000 - 4.0000
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: The manufacturer has reported no residuals or impurities within the disclosure threshold for color and lubricant. However, the color and lubricant have not been listed because they are below the disclosure threshold of 1,000 ppm.		
OTHER MATERIAL NOTES: The weight percent interval is used to keep exact recipe confidential.		

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:49		
%: 78.0000 - 100.0000	GreenScreen: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The weight percentage range is used to account for product variability.					

GLASS FIBER		%: 1.5000 - 2.0000			
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes		MATERIAL TYPE: Glass	
RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.					
OTHER MATERIAL NOTES: Fiberglass layer improves dimmensional stability. Material composition is confidential.					

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:49		
%: 70.0000 - 90.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions		
			Exempted from REACH Annex V listing due to intrinsic safety		
SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the material composition.					

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:50		
%: 5.0000 - 20.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the material composition.		

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-08 10:17:50		
%: 3.7000 - 14.7000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the material composition.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2025-07-08 10:17:50		
%: 1.2000 - 5.4000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the material composition.				

LATEX - COMPONENT #4

%: **0.5000 - 1.0000**

RESIDUALS AND IMPURITIES NOTES: Information from city of Belleville not available.

OTHER MATERIAL NOTES: The weight percent interval is used to keep exact recipe confidential.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-07-08 10:17:51

%: 100.0000

GreenScreen: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: See other material notes

LATEX - COMPONENT #3

%: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: Soap / surfactantAll substances in this material are below the reportable threshold.

PVC - COMPONENT #3

%: 0.1000 - 0.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, no evaluation of residuals or impurities has been conducted for this material.

OTHER MATERIAL NOTES: The weight percent interval is used to keep exact recipe confidential.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:50	
%: 90.0000 - 100.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: The weight percentage range is used to account for product variability.				

PVC - COMPONENT #4

%: 0.2000 - 0.3000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: There are no residuals or impurities at or above the declaration threshold.

OTHER MATERIAL NOTES: The weight percent interval is used to keep exact recipe confidential.

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2025-07-08 10:17:50	
%: 85.0000 - 90.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		
SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. The weight percentage range is used to account for product variability and/or to protect the confidentiality of the material composition.				

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CRI Green Label Plus - Carpets	
COMPLIANCE TYPE: Third Party	ISSUE DATE: 2011-08-25	EXPIRY DATE: 2025-09-28
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: The Carpet and Rug Institute		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: 700, 120e Rue, Saint-Georges, QC G5Y 6R6, Canada		
COMPLIANCE URL: https://carpet-rug.org/glp-carpets/c7f1d4c4-6199-e711-81ef-fc15b4287754/		
COMPLIANCE NOTES: Product: 17X Pre-dyed Nylon with PVC Backing. Certification number: GLP3315. This product complies with CDPH Standard Method Section 01350 versions 1.2. Private Office Scenario and School Classroom Scenario - Private Office Range of Total VOCs: 0.5 mg/m3 or less. - School Classroom Range of Total VOCs: 0.5 mg/m3 or less.		

LCA	Environmental Product Declaration (EPD) by CSA Group	
COMPLIANCE TYPE: Third Party	ISSUE DATE: 2024-03-27	EXPIRY DATE: 2029-03-26
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Athena Sustainable Materials Institute		
COMPLIANCE DETAILS:		
COMPLIANCE SCOPE:		
APPLICABLE FACILITIES: All		
COMPLIANCE URL: https://www.venturecarpets.com/wp-content/uploads/EPD-venture.pdf		
COMPLIANCE NOTES: This EPD is a Type III declaration in accordance with ISO 14025 and ISO 21930. It has been independently verified by the Athena Sustainable Materials Institute and provides LCA data related to environmental impacts across the product's life cycle.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ACRYLIC BINDER
MANUFACTURER (OR GENERIC): Generic
HPD URL: No HPD available
ACCESSORY TYPE: Adhesive
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: An acrylic binder, such as the Ultrabond EC0810, is required to install the carpet. Venture recommends following the installation procedures from the Carpet and Rug Institute.

Section 5: General Notes

For additional information about this product, please visit: https://www.venturecarpets.com/en/products/

MANUFACTURER INFORMATION

MANUFACTURER: **Venture Carpets**
ADDRESS: **700, 120e Street**
Saint-Georges, Québec G5Y 6R6
COUNTRY: **Canada**

WEBSITE: **www.venturecarpets.com**
CONTACT NAME: **Richard Duval**
TITLE: **President**
PHONE: **418-227-5955**
EMAIL: **richard.duval@venturecarpets.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.